

We Claim:

1. An instrument for tamping material into bone through a subcutaneous path, the instrument comprising a body having a length and a terminus, and including markings located along the length at increments from the terminus.

2. An instrument according to claim 1 wherein the body is made of a generally rigid material.

3. An instrument according to claim 1 wherein the length of the body is longer than the subcutaneous path.

4. An instrument according to claim 1 wherein the body includes at least one radiopaque marker.

5. A tamping instrument capable of advancement through a subcutaneous cannula having a distal end which leads into bone, the tamping instrument comprising a body having a terminus which, during the advancement, urges material residing in the cannula into bone, the body having markings to visually gauge the advancement of the terminus through the subcutaneous cannula.

6. A tamping instrument according to claim 5 wherein the body is made of a generally rigid material.

7. A tamping instrument according to claim 5 wherein the length of the body is longer than the subcutaneous cannula.

8. A tamping instrument according to claim 5 wherein the body includes at least one radiopaque marker.

9. Apparatus for delivering material into bone comprising

a cannula for establishing a subcutaneous path into bone, and

5 a tamping instrument for advancement through the

cannula comprising a body having a terminus which, during the advancement, urges material residing in the cannula into bone.

10. Apparatus according to claim 9

wherein the body includes markings to visually gauge the advancement of the terminus through the cannula.

11. Apparatus according to claim 9

wherein the cannula has a length, and

wherein the length of the tamping instrument exceeds the length of the cannula.

12. Apparatus according to claim 11

wherein the body includes a set point marking spaced from the terminus at a distance generally equal to the length of the cannula.

13. Apparatus according to claim 12

wherein the body includes at least one additional marking to visually gauge advancement of the terminus through the cannula.

14. Apparatus according to claim 9

wherein the body includes at least one radiopaque marker.

15. Apparatus according to claim 9

wherein the body is made of a generally rigid material.

16. Apparatus according to claim 9

and further including a cavity forming instrument for advancement through the cannula into bone for compressing cancellous bone.

17. Apparatus according to claim 16

wherein the cavity forming instrument includes an expandable structure.

18. An assembly of items

for delivering material into bone comprising

a cannula,

a tamping instrument comprising a body having a

5 terminus, and
instructions for using the kit according to a
method comprising the steps of
deploying the cannula to establish a
subcutaneous path into bone,
10 introducing a material into bone through the
cannula, and
advancing the terminus through the cannula
to urge material residing in the cannula into bone.

19. An assembly according to claim 18
wherein the body has a length and includes
markings located along the length at increments from the
terminus to gauge advancement of the terminus through the
5 cannula.

20. An assembly according to claim 18
wherein the body includes at least one radiopaque
marker.

21. An assembly according to claim 18
and further including a cavity forming instrument
to compress cancellous bone.

22. An assembly according to claim 21
wherein the cavity forming instrument includes an
expandable structure.

23. An assembly according to claim 21
wherein the method further comprises the step of
deploying the cavity forming instrument through the cannula
to compress cancellous bone and form a cavity, and
5 wherein the introducing and advancing steps
introduces material into the cavity.

24. Apparatus for introducing material into bone
through a subcutaneous cannula, the apparatus including a
delivery device to convey the material at a delivery
pressure of no greater than about 360 psi, and a nozzle
5 instrument capable of advancement through the subcutaneous
cannula into bone and comprising a proximal fitting to

couple the nozzle instrument to the delivery device and a nozzle terminus through which the material conveyed by the delivery device enters bone at the delivery pressure.

25. Apparatus according to claim 24

wherein the nozzle instrument is made of a generally flexible material.

26. Apparatus according to claim 24

wherein the nozzle instrument is made of a generally rigid material.

27. Apparatus according to claim 24

wherein the delivery device comprises a syringe.

28. Apparatus according to claim 24 and further

including a tamping instrument capable of advancement through the subcutaneous cannula and having a tamping terminus which, during the advancement, urges material residing in the subcutaneous cannula into bone.

29. Apparatus according to claim 28

wherein the tamping instrument includes markings to visually gauge the advancement of the tamping terminus through the subcutaneous cannula.

30. Apparatus according to claim 28

wherein the tamping instrument includes at least one radiopaque marker.

31. Apparatus according to claim 28

wherein the tamping instrument is made of a generally rigid material.

32. Apparatus according to claim 24

wherein the nozzle instrument includes markings to visually gauge the advancement of the nozzle terminus through the subcutaneous cannula.

33. Apparatus according to claim 24

wherein the nozzle instrument includes at least one radiopaque marker.

34. Apparatus according to claim 24 and further

including a cavity forming instrument capable of advancement

through the subcutaneous cannula to compress cancellous bone.

35. Apparatus according to claim 34

wherein the cavity forming instrument includes an expandable structure.

36. An assembly of items for introducing material into bone comprising

a cannula,

5 a delivery device having an actuator to convey material at a delivery pressure of no greater than about 360 psi,

10 a nozzle instrument capable of advancement through the cannula into bone and comprising a proximal fitting to couple the nozzle instrument to the delivery device and a nozzle terminus, and

instructions for using the kit according to a method comprising the steps of

15 deploying the cannula to establish a subcutaneous path into bone, and

actuating the delivery device to convey material at the delivery pressure through the nozzle terminus into bone.

37. An assembly according to claim 36 and further including a tamping instrument capable of advancement through the cannula having a tamping terminus, and

5 wherein the method further includes the step of advancing the tamping terminus through the cannula to urge material residing in the cannula into bone.

38. An assembly according to claim 37

wherein the tamping instrument includes markings to visually gauge the advancement of the tamping terminus through the cannula.

39. An assembly according to claim 37

wherein the tamping instrument includes at least

one radiopaque marker.

40. An assembly according to claim 36 wherein the nozzle instrument includes markings to visually gauge the advancement of the nozzle terminus through the cannula.

41. An assembly according to claim 36 wherein the nozzle instrument includes at least one radiopaque marker.

42. An assembly according to claim 36 wherein the delivery device comprise a syringe.

43. An assembly according to claim 36 and further including a cavity forming instrument to compress cancellous bone.

44. An assembly according to claim 43 wherein the cavity forming instrument includes an expandable structure.

45. An assembly according to claim 43 wherein the method further comprises the step of deploying the cavity forming instrument through the cannula to compress cancellous bone and form a cavity, and

5 wherein the actuating step conveys material into the cavity.

46. A tool for deployment into bone comprising a catheter tube having a distal region, an expandable structure carried by the distal region for compacting cancellous bone, and

5 an introducer sleeve slidably carried by the catheter tube for movement between a retracted position spaced from the expandable structure and an advanced position overlying the expandable structure, the introducer sleeve including

10 a tubular main body dimensioned to compress the expandable structure when the introducer sleeve is in the advanced position, and

a collar extending beyond the distal region

15 of the catheter tube when the introducer sleeve is in the
advanced position, the collar being dimensioned larger than
the tubular main body to releasably engage an end of a
cannula, whereby the introducer sleeve both sizes and aligns
the expandable structure for passage into the cannula
through the end of the cannula.

47. A tool according to claim 46

wherein the catheter tube includes a proximal
region having a stem, and

5 wherein the introducer sleeve includes a second
collar extending from the main tubular body opposite to the
first-defined collar, the second collar being dimensioned to
releasably engage the stem when the introducer sleeve is in
the retracted position.

48. A tool according to claim 47

wherein the proximal region includes a handle
adjacent to the stem.

49. A tool according to claim 46

wherein the catheter tube includes a proximal
region having a handle, and

5 wherein the introducer sleeve includes a second
collar extending from the main tubular body opposite to the
first-defined collar, the second collar being dimensioned to
releasably engage the handle when the introducer sleeve is
in the retracted position.

50. Apparatus for introducing material into bone
through a subcutaneous cannula, the apparatus including a
delivery device to convey the material at a delivery
pressure of no greater than about 360 psi, a nozzle
5 instrument capable of advancement through the subcutaneous
cannula into bone and comprising a proximal fitting to
couple the nozzle instrument to the delivery device and a
nozzle bore through which the material conveyed by the
delivery device enters bone at the delivery pressure, and a
10 stylet capable of advancement into the nozzle bore through

the proximal fitting to close the nozzle bore and, with the nozzle instrument, forming a tamping instrument capable of advancement through the subcutaneous cannula to urge residual material from the subcutaneous cannula.

51. Apparatus according to claim 50

wherein the nozzle instrument includes markings to visually gauge the advancement of the nozzle instrument through the cannula.

52. Apparatus according to claim 50

wherein the delivery device comprises a syringe.

53. A method for delivering material into bone comprising the steps of

deploying a cannula through soft tissue to establish a subcutaneous path into bone,

5

introducing a material into bone through the cannula, and

advancing a tamping instrument through the cannula to urge material residing in the cannula into bone.

54. A method according to claim 53

wherein the introducing step delivers material at a pressure no greater than about 360 psi.

55. A method according to claim 53

wherein the introducing step includes using a manual syringe.

56. A method according to claim 53

wherein the material comprises bone cement.

57. A method according to claim 53

wherein the material comprises autograft tissue.

58. A method according to claim 53

wherein the material comprises allograft tissue.

59. A method according to claim 53

wherein the material comprises synthetic bone substitute.

60. A method according to claim 53

wherein the material comprises medication.

61. A method according to claim 53
wherein the material comprises a material that
sets to a hardened condition.

62. A method according to claim 53
and further including the step of deploying a
cavity forming instrument through the cannula to compress
cancellous bone and form a cavity, and

5 wherein the introducing and advancing steps convey
material into the cavity.

110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 238 239 240 241 242 243 244 245 246 247 248 249 250 251 252 253 254 255 256 257 258 259 260 261 262 263 264 265 266 267 268 269 270 271 272 273 274 275 276 277 278 279 280 281 282 283 284 285 286 287 288 289 290 291 292 293 294 295 296 297 298 299 300 301 302 303 304 305 306 307 308 309 310 311 312 313 314 315 316 317 318 319 320 321 322 323 324 325 326 327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342 343 344 345 346 347 348 349 350 351 352 353 354 355 356 357 358 359 360 361 362 363 364 365 366 367 368 369 370 371 372 373 374 375 376 377 378 379 380 381 382 383 384 385 386 387 388 389 390 391 392 393 394 395 396 397 398 399 400 401 402 403 404 405 406 407 408 409 410 411 412 413 414 415 416 417 418 419 420 421 422 423 424 425 426 427 428 429 430 431 432 433 434 435 436 437 438 439 440 441 442 443 444 445 446 447 448 449 450 451 452 453 454 455 456 457 458 459 460 461 462 463 464 465 466 467 468 469 470 471 472 473 474 475 476 477 478 479 480 481 482 483 484 485 486 487 488 489 490 491 492 493 494 495 496 497 498 499 500 501 502 503 504 505 506 507 508 509 510 511 512 513 514 515 516 517 518 519 520 521 522 523 524 525 526 527 528 529 530 531 532 533 534 535 536 537 538 539 540 541 542 543 544 545 546 547 548 549 550 551 552 553 554 555 556 557 558 559 560 561 562 563 564 565 566 567 568 569 570 571 572 573 574 575 576 577 578 579 580 581 582 583 584 585 586 587 588 589 590 591 592 593 594 595 596 597 598 599 600 601 602 603 604 605 606 607 608 609 610 611 612 613 614 615 616 617 618 619 620 621 622 623 624 625 626 627 628 629 630 631 632 633 634 635 636 637 638 639 640 641 642 643 644 645 646 647 648 649 650 651 652 653 654 655 656 657 658 659 660 661 662 663 664 665 666 667 668 669 670 671 672 673 674 675 676 677 678 679 680 681 682 683 684 685 686 687 688 689 690 691 692 693 694 695 696 697 698 699 700 701 702 703 704 705 706 707 708 709 710 711 712 713 714 715 716 717 718 719 720 721 722 723 724 725 726 727 728 729 730 731 732 733 734 735 736 737 738 739 740 741 742 743 744 745 746 747 748 749 750 751 752 753 754 755 756 757 758 759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782 783 784 785 786 787 788 789 790 791 792 793 794 795 796 797 798 799 800 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819 820 821 822 823 824 825 826 827 828 829 830 831 832 833 834 835 836 837 838 839 840 841 842 843 844 845 846 847 848 849 850 851 852 853 854 855 856 857 858 859 860 861 862 863 864 865 866 867 868 869 870 871 872 873 874 875 876 877 878 879 880 881 882 883 884 885 886 887 888 889 890 891 892 893 894 895 896 897 898 899 900 901 902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918 919 920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 935 936 937 938 939 940 941 942 943 944 945 946 947 948 949 950 951 952 953 954 955 956 957 958 959 960 961 962 963 964 965 966 967 968 969 970 971 972 973 974 975 976 977 978 979 980 981 982 983 984 985 986 987 988 989 990 991 992 993 994 995 996 997 998 999 1000